Switz

- b) the non-conjugated polyene is present in an amount of from about 0% to about 30% by weight; and
- c) CH_2 =CHQ is present in an amount of from about 15% to about 40% by weight; said polymer having a viscosity average molecular weight of from about 4,000 to about 30,000 and being a solid at room temperature.--
- --10. (Amended) <u>A composition which comprises the</u>
 [The] polymer of claim 1, [wherein said polymer further comprises] <u>and</u> a reinforcing agent.--
- --11. (Amended) The [polymer] composition of claim 10, wherein the reinforcing agent is selected from the group consisting of aramid fibers, cotton, polyesters, fiberglass, and mixtures thereof.--
- --12. (Amended) The [polymer] <u>composition</u> of claim 11, wherein the reinforcing agent comprises aramid fibers.--
- --13. (Amended) The [polymer] composition of claim 10, wherein the reinforcing agent is present in an amount of up to about 70% by weight.--

Sub

67

- -- N. (Twice Amended) A composition which comprises:
- a) a polymer formed from monomers comprising ethylene; $CH_2{=}CHQ \text{ wherein Q is } C_1{-}C_8 \text{ alkyl; and optionally a non-conjugated polyene; wherein}$
 - i) ethylene is present in an amount of from [about] 67% to about 75% by weight;
 - ii) the polyene is present in an amount of from about 0% to about 30% by weight; and
 - iii) CH_2 =CHQ is present in an amount of from about 15% to about 40% by weight;

said polymer having a viscosity average molecular weight of from about 4,000 to about 30,000 and being a solid at room temperature;

- b) a reinforcing agent; and
- c) a high molecular weight polymer.--

[Please add the following additional claims:]

P

--29. The polymer of claim 1, wherein ethylene is present in an amount of from about 71% to about 75% by weight.--